1 * 5020 will produce fluent speech in single syllable words 0 0.1.2 S/L Fluency 2 * 5021 will produce fluent speech in phrases 0 0.1.2 S/L Fluency 3 * 5022 will produce fluent speech in sentences 0 0.1.2 S/L Fluency 3 * 5022 will produce fluent speech in conversational settings 0 0.1.2 S/L Fluency 4 * 5023 will produce fluent speech in conversational settings 0 0.1.2 S/L Fluency 5 024 will eliminate dysfluencies of vowel production 0 0.1.2 S/L Fluency 6 * 5025 will eliminate dysfluencies of consonant production 0 0.1.2 S/L Fluency 6 * 5026 will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 7 * 5026 will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 8 * 5027 will eliminate inspropriate interjections during speaking 0 0.1.2 S/L Fluency 10 * 5028 will eliminate inspropriate interjections during speaking 0 <		Ref. No.	Behavior	Grade	Std.	Domain/Category
2 * 5021 will produce fluent speech in phrases 0 0.1.2 S/L Fluency 3 * 5022 will produce fluent speech in sentences 0 0.1.2 Comprehension 4 * 5023 will produce fluent speech in conversational settings 0 0.1.2 Comprehension 4 * 5023 will produce fluent speech in conversational settings 0 0.1.2 Comprehension 5 * 5024 will eliminate dysfluencies of vowel production 0 0.1.2 Comprehension 6 * 5025 will eliminate dysfluencies of consonant production 0 0.1.2 Comprehension 7 * 5026 will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 7 * 5026 will eliminate starters during speaking (i.e. um, ah, er or 0 0.1.2 Comprehension 9 * 5028 will eliminate inappropriate interjections during speaking 0 0.1.2 Comprehension 10 * 5029 will eliminate blocks during speaking audibly in conjete, coherent sentences 0 0.1.2 Comprehension 11 * 6030 will stare information and idea	1+	5020	will produce fluent speech in single syllable words	0	0.1.2	S/L Fluency
3 + 5022 will produce fluent speech in sentences 0 0.1.2 Çomprehension 3 + 5022 will produce fluent speech in conversational settings 0 0.1.2 SiL Fluency 4 + 5023 will produce fluent speech in conversational settings 0 0.1.2 SiL Fluency 5 + 5024 will eliminate dysfluencies of vowel production 0 0.1.2 SiL Fluency 6 + 5025 will eliminate dysfluencies of consonant production 0 0.1.2 Comprehension 7 + 5026 will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 SiL Fluency 7 + 5026 will eliminate starters during speaking (i.e. um, ah, er or others) 0 0.1.2 SiL Fluency 8 + 5027 will eliminate inappropriate interjections during speaking 0 0.1.2 Comprehension 9 + 5028 will eliminate blocks during speaking 0 0.1.2 Comprehension 11 + 5030 will share information and ideas, speaking audibly in complete, coherent sentences 0 0.1.2 SiL Fluency 12 + 5031 will reduce rate of speech from a baseline measurement in 3 3.2.2 SiL Fluency 13 + 5032 will reduce rate of spe					0.1.2	Comprehension
3 * 5022 will produce fluent speech in sentences 0 0.1.2 S/L Fluency 4 * 5023 will produce fluent speech in conversational settings 0 0.1.2 S/L Fluency 4 * 5023 will eliminate dysfluencies of vowel production 0 0.1.2 S/L Fluency 5 + 5024 will eliminate dysfluencies of vowel production 0 0.1.2 S/L Fluency 6 * 5025 will eliminate dysfluencies of consonant production 0 0.1.2 S/L Fluency 7 * 5026 will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 8 * 5027 will eliminate starters during speaking (i.e. um, ah, er or others) 0 0.1.2 S/L Fluency 9 * 5028 will eliminate inappropriate interjections during speaking 0 0.1.2 Comprehension 10 * 5029 will eliminate blocks during speaking audibly in comprehension 0 0.1.2 Comprehension 11 * 5030 will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 12 * 5031 will reduce rate of speech from a baseline measur	2 🛉	5021	will produce fluent speech in phrases	0	0.1.2	S/L Fluency
4 * 5022 Will produce fluent speech in conversational settings 0 0.1.2 Comprehension 4 * 5023 Will produce fluent speech in conversational settings 0 0.1.2 S/L Fluency 5 + 5024 Will eliminate dysfluencies of vowel production 0 0.1.2 S/L Fluency 6 * 5025 Will eliminate dysfluencies of consonant production 0 0.1.2 S/L Fluency 7 * 5026 Will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 8 * 5027 Will eliminate starters during speaking (i.e. um, ah, er or others) 0 0.1.2 S/L Fluency 9 * 5028 Will eliminate inappropriate interjections during speaking 0 0.1.2 S/L Fluency 10 * 5029 Will eliminate blocks during speaking audibly in ofmethension 0 0.1.2 S/L Fluency 11 * 5030 Will reduce rate of speech from a baseline measurement in words and sentences 0.1.2 S/L Fluency 12 * 5031 Will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 13 * 5032 Source rate of speech fr					0.1.2	Comprehension
4 + 5023 will produce fluent speech in conversational settings 0 0.1.2 S/L Fluency 5 + 5024 will eliminate dysfluencies of vowel production 0 0.1.2 S/L Fluency 6 + 5025 will eliminate dysfluencies of consonant production 0 0.1.2 S/L Fluency 7 + 5026 will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 7 + 5026 will eliminate starters during speaking 0 0.1.2 S/L Fluency 8 + 5027 will eliminate starters during speaking (i.e. um, ah, er or 0 0.1.2 S/L Fluency 0 + 5028 will eliminate interjections during speaking 0 0.1.2 S/L Fluency 9 + 5028 will eliminate blocks during speaking 0 0.1.2 S/L Fluency 10 + 5029 will eliminate blocks during speaking audibly in comprehension 0 0.1.2 S/L Fluency 11 + 5030 will share information and ideas, speaking audibly in comprehension 0 0.1.2 S/L Fluency 12 + 5031 will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 13 + 5032 will reduce rate of speech from a baseline measurement in	3 🛉	5022	will produce fluent speech in sentences	0	0.1.2	S/L Fluency
1 0.1.2 Comprehension 5 + 5024 will eliminate dysfluencies of vowel production 0 0.1.2 S/L Fluency 6 + 5025 will eliminate dysfluencies of consonant production 0 0.1.2 S/L Fluency 7 + 5026 will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 7 + 5026 will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 8 + 5027 Will eliminate starters during speaking (i.e. um, ah, er or others) 0 0.1.2 S/L Fluency 9 + 5028 will eliminate inappropriate interjections during speaking 0 0.1.2 S/L Fluency 10 + 5029 Will eliminate blocks during speaking 0 0.1.2 S/L Fluency 11 + 5030 will share information and ideas, speaking audibly in comprehension 0 0.1.2 S/L Fluency 12 + 5031 Will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 13 + 5032 Will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 3.2.2 S/L Fluency 3.2.2 S/L Fluency 5033 Will reduce					0.1.2	Comprehension
5 * 5024 Will eliminate dysfluencies of vowel production 0 0.1.2 S/L Fluency 6 * 5025 Will eliminate dysfluencies of consonant production 0 0.1.2 S/L Fluency 7 * 5026 Will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 7 * 5026 Will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 7 * 5026 Will eliminate starters during speaking (i.e. um, ah, er or others) 0 0.1.2 S/L Fluency 8 * 5027 Will eliminate inappropriate interjections during speaking 0 0.1.2 S/L Fluency 9 * 5028 Will eliminate blocks during speaking 0 0.1.2 Comprehension 10 * 5029 Will eliminate blocks during speaking audibly in comprehension 0 0.1.2 S/L Fluency 11 * 5030 Will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 12 * 5031 Will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 13 * 5032 Will reduce rate of speech from a baseline mea	4 🛉	5023	will produce fluent speech in conversational settings	0	0.1.2	S/L Fluency
6 + 5021 Will eliminate dysfluencies of consonant production 0 0.1.2 Comprehension 6 + 5025 Will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 7 + 5026 Will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 8 + 5027 Will eliminate starters during speaking (i.e. um, ah, er or others) 0 0.1.2 S/L Fluency 9 + 5028 Will eliminate inappropriate interjections during speaking 0 0.1.2 S/L Fluency 10 + 5029 Will eliminate blocks during speaking audibly in complete, coherent sentences 0 0.1.2 S/L Fluency 11 + 5030 Will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 12 + 5031 Will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 13 + 5032 Will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 14 + 5033 Will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency					0.1.2	Comprehension
6 * 5025 will eliminate dysfluencies of consonant production 0 0.1.2 S/L Fluency 7 * 5026 will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 7 * 5026 will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 8 * 5027 will eliminate starters during speaking (i.e. um, ah, er or others) 0 0.1.2 S/L Fluency 9 * 5028 will eliminate inappropriate interjections during speaking 0 0.1.2 S/L Fluency 10 * 5029 will eliminate blocks during speaking 0 0.1.2 S/L Fluency 11 * 5030 will share information and ideas, speaking audibly in othere sentences 0 0.1.2 S/L Fluency 12 * 5031 will reduce rate of speech from a baseline measurement in words and sentences 3 3.2.2 Speaking Applications 13 * 5032 will reduce rate of speech from a baseline measurement in 3 3 3.2.2 Speaking Applications	5 🛉	5024	will eliminate dysfluencies of vowel production	0	0.1.2	S/L Fluency
7 + 5026 will eliminate initial sound/word/phrase repetitions or "running of 0.1.2 0.1.2 Comprehension 7 + 5026 will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 8 + 5027 will eliminate starters during speaking (i.e. um, ah, er or others) 0 0.1.2 S/L Fluency 9 + 5028 will eliminate inappropriate interjections during speaking 0 0.1.2 S/L Fluency 10 + 5029 will eliminate blocks during speaking audibly in comprehension 0 0.1.2 S/L Fluency 11 + 5030 will share information and ideas, speaking audibly in complete, coherent sentences 0 0.1.2 S/L Fluency 12 + 5031 will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 13 + 5032 will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 14 + 5033 will reduce rate of speech from a baseline measurement in 3 3.3.2.2 S/L Fluency					0.1.2	Comprehension
7 + 5026 Will eliminate initial sound/word/phrase repetitions or "running 0 0.1.2 S/L Fluency 8 + 5027 Will eliminate starters during speaking (i.e. um, ah, er or others) 0 0.1.2 S/L Fluency 9 + 5028 Will eliminate inappropriate interjections during speaking 0 0.1.2 S/L Fluency 10 + 5029 Will eliminate blocks during speaking audibly in complete, coherent sentences 0 0.1.2 S/L Fluency 11 + 5030 Will share information and ideas, speaking audibly in complete, coherent sentences 0 0.1.2 S/L Fluency 12 + 5031 Will reduce rate of speech from a baseline measurement in words and sentences 3 3.2.2 S/L Fluency 13 + 5032 Will reduce rate of speech from a baseline measurement in 3 3 3.2.2 S/L Fluency 14 + 5033 Will reduce rate of speech from a baseline measurement in 3 3 3.2.2 S/L Fluency	6 🛉	5025	will eliminate dysfluencies of consonant production	0	0.1.2	S/L Fluency
1 5020 starts* during speaking 0 0.1.2 Comprehension 8 * 5027 will eliminate starters during speaking (i.e. um, ah, er or others) 0 0.1.2 S/L Fluency 9 * 5028 will eliminate inappropriate interjections during speaking 0 0.1.2 S/L Fluency 10 * 5029 will eliminate blocks during speaking 0 0.1.2 Comprehension 10 * 5029 will eliminate blocks during speaking 0 0.1.2 Comprehension 11 * 5030 will share information and ideas, speaking audibly in complete, coherent sentences 0 0.1.2 S/L Fluency 12 * 5031 will reduce rate of speech from a baseline measurement in words and sentences 3 3.2.2 S/L Fluency 13 * 5032 will reduce rate of speech from a baseline measurement in signal actions 3 3.2.2 Speaking Applications 14 * 5033 will reduce rate of speech from a baseline measurement in signal actions 3 3.2.2 S/L Fluency	l				0.1.2	Comprehension
8 * 5027 Will eliminate starters during speaking (i.e. um, ah, er or others) 0 0.1.2 S/L Fluency 9 * 5028 Will eliminate inappropriate interjections during speaking 0 0.1.2 S/L Fluency 10 * 5029 Will eliminate blocks during speaking 0 0.1.2 S/L Fluency 10 * 5029 Will eliminate blocks during speaking 0 0.1.2 S/L Fluency 11 * 5030 Will share information and ideas, speaking audibly in complete, coherent sentences 0 0.1.2 S/L Fluency 12 * 5031 Will reduce rate of speech from a baseline measurement in words and sentences 3 3.2.2 S/L Fluency 13 * 5032 Will reduce rate of speech from a baseline measurement in 3 3 3.2.2 S/L Fluency 14 * 5033 Will reduce rate of speech from a baseline measurement in 3 3 3.2.2 S/L Fluency	7 🛉	5026	will eliminate initial sound/word/phrase repetitions or "running	0	0.1.2	S/L Fluency
others) others) 0.1.2 Comprehension 9 • 5028 will eliminate inappropriate interjections during speaking 0 0.1.2 S/L Fluency 10 • 5029 will eliminate blocks during speaking 0 0.1.2 S/L Fluency 10 • 5029 will share information and ideas, speaking audibly in complete, coherent sentences 0 0.1.2 S/L Fluency 11 • 5030 will reduce rate of speech from a baseline measurement in words and sentences 0 0.1.2 S/L Fluency 12 • 5031 will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 13 • 5032 will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency 14 • 5033 will reduce rate of speech from a baseline measurement in 3 3.2.2 S/L Fluency					0.1.2	Comprehension
9 \$ 5028will eliminate inappropriate interjections during speaking00.1.2Comprehension10 \$ 5029will eliminate blocks during speaking00.1.2S/L Fluency10 \$ 5029will eliminate blocks during speaking00.1.2S/L Fluency11 \$ 5030will share information and ideas, speaking audibly in complete, coherent sentences00.1.2S/L Fluency11 \$ 5031will reduce rate of speech from a baseline measurement in words and sentences33.2.2S/L Fluency13 \$ 5032will reduce rate of speech from a baseline measurement during a 5 minute conversation sample33.2.2S/L Fluency14 \$ 5033will reduce rate of speech from a baseline measurement in 3 spontaneous speaking situations33.2.2S/L Fluency	8 🛉	5027	will eliminate starters during speaking (i.e. um, ah, er or	0	0.1.2	S/L Fluency
10 +5029will eliminate blocks during speaking00.1.2Comprehension10 +5029will share information and ideas, speaking audibly in complete, coherent sentences00.1.2S/L Fluency11 +5030will share information and ideas, speaking audibly in complete, coherent sentences00.1.2S/L Fluency12 +5031will reduce rate of speech from a baseline measurement in words and sentences33.2.2S/L Fluency13 +5032will reduce rate of speech from a baseline measurement during a 5 minute conversation sample33.2.2S/L Fluency14 +5033will reduce rate of speech from a baseline measurement in 333.2.2S/L Fluency					0.1.2	Comprehension
10 +5029will eliminate blocks during speaking00.1.2S/L Fluency11 +5030will share information and ideas, speaking audibly in complete, coherent sentences00.1.2S/L Fluency11 +5030will reduce rate of speech from a baseline measurement in words and sentences00.1.2S/L Fluency12 +5031will reduce rate of speech from a baseline measurement in during a 5 minute conversation sample33.2.2S/L Fluency13 +5032will reduce rate of speech from a baseline measurement during a 5 minute conversation sample33.2.2S/L Fluency14 +5033will reduce rate of speech from a baseline measurement in 3 spontaneous speaking situations33.2.2S/L Fluency	9 🔶	5028	will eliminate inappropriate interjections during speaking	0	0.1.2	S/L Fluency
11 + 5030 Will share information and ideas, speaking audibly in complete, coherent sentences 0 0.1.2 Comprehension 11 + 5030 Will share information and ideas, speaking audibly in complete, coherent sentences 0 0.1.2 S/L Fluency 12 + 5031 Will reduce rate of speech from a baseline measurement in words and sentences 3 3.2.2 S/L Fluency 13 + 5032 Will reduce rate of speech from a baseline measurement in during a 5 minute conversation sample 3 3.2.2 S/L Fluency 14 + 5033 Will reduce rate of speech from a baseline measurement in 3 3 3.2.2 S/L Fluency					0.1.2	Comprehension
11 +5030will share information and ideas, speaking audibly in complete, coherent sentences00.1.2S/L Fluency12 +5031will reduce rate of speech from a baseline measurement in words and sentences33.2.2S/L Fluency13 +5032will reduce rate of speech from a baseline measurement during a 5 minute conversation sample33.2.2S/L Fluency14 +5033will reduce rate of speech from a baseline measurement in 333.2.2S/L Fluency	10 🔶	5029	will eliminate blocks during speaking	0	0.1.2	S/L Fluency
complete, coherent sentences 0.1.2a Comprehension 12 * 5031 will reduce rate of speech from a baseline measurement in words and sentences 3 3.2.2 S/L Fluency 13 * 5032 will reduce rate of speech from a baseline measurement during a 5 minute conversation sample 3 3.2.2 S/L Fluency 14 * 5033 will reduce rate of speech from a baseline measurement in 3 3 3.2.2 S/L Fluency					0.1.2	Comprehension
12 *5031will reduce rate of speech from a baseline measurement in words and sentences33.2.2S/L Fluency13 *5032will reduce rate of speech from a baseline measurement during a 5 minute conversation sample33.2.2S/L Fluency14 *5033will reduce rate of speech from a baseline measurement in 3 spontaneous speaking situations33.2.2S/L Fluency	11 🔶	5030	will share information and ideas, speaking audibly in	0	0.1.2	S/L Fluency
words and sentences 3.2.2 Speaking Applications 13 + 5032 will reduce rate of speech from a baseline measurement during a 5 minute conversation sample 3 3.2.2 S/L Fluency 14 + 5033 will reduce rate of speech from a baseline measurement in 3 3 3.2.2 S/L Fluency					0.1.2a	Comprehension
13 + 5032 Will reduce rate of speech from a baseline measurement during a 5 minute conversation sample 3 3.2.2 S/L Fluency 14 + 5033 Will reduce rate of speech from a baseline measurement in 3 3 3.2.2 S/L Fluency	12 🔶	5031	will reduce rate of speech from a baseline measurement in	3	3.2.2	S/L Fluency
during a 5 minute conversation sample 3.2.2 Speaking Applications 14 + 5033 will reduce rate of speech from a baseline measurement in 3 spontaneous speaking situations 3 3.2.2 S/L Fluency					3.2.2	Speaking Applications
14 + 5033 will reduce rate of speech from a baseline measurement in 3 3 3.2.2 S/L Fluency	13 🛊	5032	will reduce rate of speech from a baseline measurement	3	3.2.2	S/L Fluency
spontaneous speaking situations					3.2.2	Speaking Applications
	14 🔶	5033	will reduce rate of speech from a baseline measurement in 3	3	3.2.2	S/L Fluency
					3.2.2	Speaking Applications

Ref. No.	Behavior	Grade	Std.	Domain/Category
15 🛉 5034	will maintain reduced rate of speech in spontaneous speaking situations across 6 weekly observations	3	3.2.2	S/L Fluency
			3.2.2	Speaking Applications
16 🛉 5035	will use an appropriate rate while speaking	3	3.2.2	S/L Fluency
			3.2.2	Speaking Applications
17 🛉 5036	will adjust rate of speech spontaneously	3	3.2.2	S/L Fluency
			3.2.2	Speaking Applications
18 🛉 5037	will produce fluent speech in story telling and monologues	3	3.2.2	S/L Fluency
			3.2.2	Speaking Applications
19 🛉 5038	will plan and present dramatic interpretations of experiences, stories, poems, or plays with clear diction,	3	3.2.2	S/L Fluency
	pitch, tempo and tone		0.1.2a	Speaking Applications
20 🔶 5039	will eliminate associated facial movements when speaking	3	3.1.3	S/L Fluency
			3.1.3	Decoding and Word
21 🛉 5040	will eliminate associated body movements when speaking	3	3.1.3	S/L Fluency
			3.1.3	Decoding and Word
22 🔶 5041	will eliminate secondary characteristics when speaking	3	3.1.3	S/L Fluency
			3.1.3	Decoding and Word
23 🛉 5042	will participate in oral activities without avoidance or secondary behaviors using fluency technique	3	3.1.3	S/L Fluency
			3.1.3	Decoding and Word
24 🔶 5043	will use fluent speech without avoidance or secondary behaviors following a 6 week interval with no therapy fixSpanish	3	3.1.3	S/L Fluency
			3.1.3	Decoding and Word
25 🛉 5044	will maintain eye contact while speaking during a 10 minute conversation with the specialist	3	3.1.3	S/L Fluency
			3.1.3	Decoding and Word
26 🛉 5045	will demonstrate appropriate eye contact during speaking	3	3.1.3	S/L Fluency
			3.1.3	Decoding and Word
27 🛊 5046	will produce fluent speech in oral reading activities	3	3.1.3	S/L Fluency
			3.1.3	Decoding and Word
28 🛉 5047	will read aloud third-grade level narrative and expository text fluently and accurately and with appropriate pacing, intonation, and expression	3	3.1.3	S/L Fluency
			4.1.1	Decoding and Word

Ref. No.	Behavior	Grade	Std.	Domain/Category
29 🔶 5048	will read aloud fourth-grade level narrative and expositor	r y 4	4.1.1	S/L Fluency
	text fluently and accurately and with appropriate pacing, intonation, and expression		4.1.1	Decoding and Word
30 🔶 5049	will read aloud fifth-grade level narrative and expository text fluently and accurately and with appropriate pacing,	5	5.1.1	S/L Fluency
	intonation, and expression		4.1.1	Decoding and Word
31 🛉 5050	will read aloud sixth-grade level narrative and expository text fluently and accurately and with appropriate pacing,	6	6.1.1	S/L Fluency
	intonation, and expression		6.1.1	Decoding and Word
32 🛉 5051	5051 will list personal avoidance behaviors associated with stuttering (situations, word subs, etc)	6	6.1.1	S/L Fluency
			6.1.1	Comprehension
33 🛉 5052	will identify dysfluencies in own speech	6	6.1.1	S/L Fluency
			6.1.1	Comprehension
34 🛉 5053	will identify instances of fluent speech	6	6.1.1	S/L Fluency
			6.1.1	Comprehension
35 🖡 5054	will describe dysfluencies including secondary characteristics after watching self on video	6	6.1.1	S/L Fluency
			6.1.1	Comprehension
36 🛉 5055	will accurately describe own dysfluencies without visual	6	6.1.1	S/L Fluency
			6.1.1	Comprehension
37 🔶 5056	will eliminate avoidance of situational speaking	6	6.1.1	S/L Fluency
			6.1.1	Comprehension
38 🔶 5057	will eliminate word substitutions during speaking	6	6.1.1	S/L Fluency
			6.1.1	Comprehension
39 🛉 5058	will eliminate topic changes to avoid stuttering during speaking	6	6.1.1	S/L Fluency
	speaking		6.1.1	Comprehension
40 🔶 5059	will eliminate avoidance behaviors during a 5 minute conversation or role play	6	6.1.1	S/L Fluency
			6.1.1	Comprehension
41 🔶 5060	will openly discuss stuttering with others (family, friends, teachers	6	6.1.1	S/L Fluency
·			6.1.1	Comprehension
42 🛉 5061	will express feelings of reduced sensitivity toward dysfluencie	es 6	6.1.1	S/L Fluency
			6.1.1	Comprehension

	Ref. No.	Behavior	Grade	Std.	Domain/Category
43 🛉	5062	will demonstrate attitude of acceptance toward dysfluencies	6	6.1.1	S/L Fluency
				6.1.1	Comprehension
44 🛉	5063	will evaluate own speech accurately	6	6.1.1	S/L Fluency
I				6.1.1	Comprehension
45 🛉	5064	will reinforce self when appropriate for fluent speech	6	6.1.1	S/L Fluency
				6.1.1	Comprehension
46 🛉	5065	will relate the speaker's verbal communication (e.g., word choice, pitch, feeling, tone) to the nonverbal message	' d 6	6.1.1	S/L Fluency
		(e.g. posture, gesture)		4.1.1	Comprehension
47 🛉	5066	will describe/demonstrate 3 techniques (relaxation, slowing rate, pull-out, easy-onset, cancellation, prolongations)	6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
48 🛉	5067	will use easy-onset techniques when speaking	6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
49 🛉	5068	will use prolongations or blending words techniques when speaking	6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
50 🛉	5069	will use metronome or pre-determined rhythm when speaking	g 6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
51 🛉	5070	will use relaxation techniques prior to speaking	6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
52 🛉	5071	will use relaxation techniques when speaking	6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
53 🛉	5072	will use tensing-relaxing technique when speaking	6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
54 🛉	5073	will use a reduced rate technique when speaking	6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
55 🛉	5074	will use cancel struggle behavior technique when appropriate during speaking	e 6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
56 🛉	5075	will use a pre-block correction technique when appropriate during speaking	6	6.1.7	S/L Fluency
			-	6.1.7	Organization & Delivery
·					

R	Ref. No.	Behavior	Grade	Std.	Domain/Category
57 🛉	5076	will use a voluntary stuttering technique following specialist model	6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
58 🕨	5077	will voluntarily stutter on non-feared words	6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
59 🕨	5078	will use a specific technique during a 5 minute reading session	6	6.1.7	S/L Fluency
		56551011		6.1.7	Organization & Delivery
60 🛉	5079	will use a specific technique within 3 speaking situations	6	6.1.7	S/L Fluency
-				6.1.7	Organization & Delivery
61 🛉	5080	will modify cancellations of speech spontaneously to appear more natural	6	6.1.7	S/L Fluency
-				6.1.7	Organization & Delivery
62 🛉	5081	will modify pull-outs of speech spontaneously to appear more natural	e 6	6.1.7	S/L Fluency
-				6.1.7	Organization & Delivery
63 🛉	5082	will modify prolongations of speech to appear more natural	6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
64 🕨	5083	will modify rhythm technique to appear more natural	6	6.1.7	S/L Fluency
				6.1.7	Organization & Delivery
65 🕨	5084	will use effective rate, volume, pitch and tone and align nonverbal elements to sustain audience interest and attention	6	6.1.7	S/L Fluency
				0.1.2a	Organization & Delivery
66 🛉	5085	will use speaking techniques, including voice modulation inflection, tempo, enunciation, and eye contact, for effective presentations	n, 7	7.1.6	S/L Fluency
				0.1.2a	Organization & Delivery
67 🛉	5086	will use appropriate grammar, word choice, enunciation, and pace during formal presentaions	8	8.1.6	S/L Fluency
				0.1.2a	Organization & Delivery
68 🕨	5087	will analyze the occasion and the interests of the audience and choose effective verbal and nonverbal techniques (e.g., voice, gestures, eye contact) for presentaions	0.9	9/10.1.9	S/L Fluency
				4.1.1	Organization & Delivery